

## Lung cancer risk among bricklayers in a pooled analysis of case–control studies

Dario Consonni<sup>1</sup>, Sara De Matteis<sup>2,3</sup>, Angela C. Pesatori<sup>1,3</sup>, Pier Alberto Bertazzi<sup>1,3</sup>, Ann C. Olsson<sup>4,5</sup>, Hans Kromhout<sup>6</sup>, Susan Peters<sup>6,7</sup>, Roel C.H. Vermeulen<sup>6</sup>, Beate Pesch<sup>8</sup>, Thomas Brüning<sup>8</sup>, Benjamin Kendzia<sup>8</sup>, Thomas Behrens<sup>8</sup>, Isabelle Stücker<sup>9,10</sup>, Florence Guida<sup>9,10</sup>, Heinz-Erich Wichmann<sup>11</sup>, Irene Brüske<sup>11</sup>, Maria Teresa Landi<sup>12</sup>, Neil E. Caporaso<sup>12</sup>, Per Gustavsson<sup>5</sup>, Nils Plato<sup>5</sup>, Lap Ah Tse<sup>13</sup>, Ignatius Tak-sun Yu<sup>13</sup>, Karl-Heinz Jöckel<sup>14</sup>, Wolfgang Ahrens<sup>15,16</sup>, Hermann Pohlabein<sup>15</sup>, Franco Merletti<sup>17</sup>, Lorenzo Richiardi<sup>17</sup>, Lorenzo Simonato<sup>18</sup>, Francesco Forastiere<sup>19</sup>, Jack Siemiatycki<sup>20</sup>, Marie-Élise Parent<sup>21</sup>, Adonina Tardón<sup>22</sup>, Paolo Boffetta<sup>23,24</sup>, David Zaridze<sup>25</sup>, Ying Chen<sup>26,27</sup>, John K. Field<sup>26</sup>, Andrea 't Mannetje<sup>28</sup>, Neil Pearce<sup>29</sup>, John McLaughlin<sup>30</sup>, Paul Demers<sup>31</sup>, Jolanta Lissowska<sup>32</sup>, Neonila Szeszenia-Dabrowska<sup>33</sup>, Vladimir Bencko<sup>34</sup>, Lenka Foretova<sup>35</sup>, Vladimir Janout<sup>36</sup>, Peter Rudnai<sup>37</sup>, Eleonóra Fabiánová<sup>38</sup>, Rodica Stanescu Dumitru<sup>39</sup>, H. B(as) Bueno-de-Mesquita<sup>40,41,42</sup>, Joachim Schüz<sup>4</sup> and Kurt Straif<sup>4</sup>

<sup>1</sup>Epidemiology Unit, Fondazione IRCCS Ca' Granda—Ospedale Maggiore Policlinico, Milan, Italy

<sup>2</sup>National Heart & Lung Institute, Respiratory Epidemiology, Occupational Medicine and Public Health, Imperial College London, London, United Kingdom

<sup>3</sup>Department of Clinical Sciences and Community Health, Università degli Studi di Milano, Milan, Italy

<sup>4</sup>International Agency for Research on Cancer, Lyon, France

<sup>5</sup>The Institute of Environmental Medicine, Karolinska Institutet, Stockholm, Sweden

<sup>6</sup>Institute for Risk Assessment Sciences, Utrecht, The Netherlands

<sup>7</sup>Occupational Respiratory Epidemiology, School of Population Health, University of Western Australia, Perth, Australia

<sup>8</sup>Institute for Prevention and Occupational Medicine of the German Social Accident Insurance—Institute of the Ruhr-Universität Bochum (IPA), Bochum, Germany

<sup>9</sup>INSERM, Centre for Research in Epidemiology and Population Health (CESP), U1018, Environmental Epidemiology of Cancer Team, Villejuif, Paris, France

<sup>10</sup>Université Paris-Sud, UMRS 1018, Villejuif, Paris, France

<sup>11</sup>Institut für Epidemiologie I, Deutsches Forschungszentrum für Gesundheit und Umwelt, Neuherberg, Germany

<sup>12</sup>National Cancer Institute, NIH, Bethesda, MD

<sup>13</sup>School of Public Health and Primary Care, The Chinese University of Hong Kong, Hong Kong, China

<sup>14</sup>Institute for Medical Informatics, Biometry, and Epidemiology, University Hospital, University Duisburg-Essen, Essen, Germany

<sup>15</sup>Leibniz-Institute for Prevention Research and Epidemiology—BIPS, Bremen, Germany

**Key words:** lung neoplasms, case–control studies, bricklayers, occupational health, epidemiology